Skip to content

<u>Manuals+</u>

User Manuals Simplified.



JBL Endurance Peak II Manual

Home » JBL » JBL Endurance Peak II Manual

JBL Endurance Peak II Manual



JBL Endurance Peak II Quick Start Guide





JBL Endurance Peak II Box Content




ATTACH EAR TIPS AND ENHANCERS

MIX AND MATCH FOR A PERFECT FIT AND AUDIO PERFORMANCE







ADJUST EAR HOOK WEAR AND PULL DOWN EAR HOOK FOR SECURE FIT



JBL Endurance Peak II How to Wear



POWER ON & CONNECT




AUTOMATIC PAIRING

JBL Endurance Peak II Power On & Connect




JBL Endurance Peak II Pairing




JBL Endurance Peak II Pairing



JBL Endurance Peak II Power Off





BUTTON COMMAND




JBL Endurance Peak II BUTTON COMMAND

CHARGING






JBL Endurance Peak II Charging



LED Behaviors

100%





JBL Endurance Peak II LED Behaviors

20%

50%

6

Model:	Endurance Peak II
Model: Driver Size: Power supply: Earpiece:	10 mm/0.4" Dynamic Driver
Power supply:	5.0 V 1 A
Earpiece:	13 g per pc (26 g combined)/0.03 lbs per pc (0.06 lbs combined)
Charging case:	77 g/0.17 lbs
Headset battery type: Charging case battery type: Charging time: Music playtime with BT on:	Lithium-ion Battery (60 mAh/3.7 V)
Charging case battery type:	Lithium-ion Battery (770 mAh/3.7 V)
Charging time:	< 2 hrs from empty
Music playtime with BT on:	6 hrs
Frequency Response:	20 Hz - 20 kHz
Impedance:	16 ohm
Sensitivity:	95 dB SPL@1 kHz
Maximum SPL:	95 dB SPL
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.0
Bluetooth profile version:	A2DP 1.3 AVRCP 1.5 HFP 1.7
Bluetooth transmitter frequency range:	2.4 GHz – 2.4835 GHz
Bluetooth transmitter power:	< 13 dBm
Bluetooth transmitter modulation:	GFSK, π/4 QPSK, 8DPSK

UBL.

JBL Endurance Peak II TECH SPEC

IC RF Exposure Information and Statement

The SAR limit of Canada (C) is 1.6 W/kg averaged over one gram of tissue. Device types: (IC: 6132A-JBLENPEAK2) has also been tested against this SAR limit According to this standard, the highest SAR value reported during product certification for head use is 0.6712 W / kg. The device was tested for typical bodily operations where the product was kept 0 mm from the head. To maintain compliance with IC RF exposure requirements, use accessories that maintain a separation distance of 0mm between the user's head and the back of the headset. The use of belt clips, holsters and similar accessories shall not contain metal parts in its assembly. Use of accessories that do not meet these requirements may not comply with IC RF exposure requirements and should be avoided.

Head operation

The device was subjected to a typical head manipulation test. In order to comply with RF exposure requirements, a minimum separation distance of 0 cm must be maintained between the user's ear and the product (including the antenna). Head exposure that do not meet these requirements may not meet RF exposure requirements and should be avoided. Use only the supplied or approved antenna.

IC: 6132A-JBLENPEAK2

Maximum operation temperature: 45°C

FCC ID: APIJBLENPEAK2







The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by HARMAN International Industries, Incorporated is under license. Other trademarks and trade names are those of their respective owners.



HP_JBL_Endurance Peak II_QSG_SOP_V11

JBL Endurance Peak II Manual - Optimized PDF JBL Endurance Peak II Manual - Original PDF

Related Manuals:

- 1. JBL Endurance Peak Earbuds User Manual User Manual JBL Endurance Peak Earbuds 1. What's in the...
- JBL Endurance Drive Manual ENDURANCE DIVE 1. WHAT'S IN THE BOX 2. SELECT YOUR...
 JBL Endurance Sprint User Manual JBL Endurance Sprint User Manual Quick Start Guide: 1. What...
- 4. JBL Endurance Jump Earbuds User Manual User Manual JBL Endurance Jump Earbuds WHAT'S IN THE ...
- 5. JBL Micro II Manual JBL MICRO II Owner's Manual SPECIFICATIONS Transducers: 1 x 40mm...
- 6. JBL Free II Manual JBL Free II WHAT' S IN THE BOX HOW TO